

Cub Cadet®

SALESBINDER 2024

HANNE KNEVELS

Cub Cadet[®]

ASSORTIMENT 2024



ROBOTMAAIERS

GEPATENTEERD MAAISYSTEEM MET DUBBEL MAAIDEK

IDEAAL VOOR GROTERE OPPERVLAKKEN

ZWEVEND MAAIDEK EN WIELEN MET HOGE TRACTIE

IDEAAL VOOR ONEFFEN TERREIN EN HELLINGEN TOT 45%

ZELFREINIGEND MAAIDEK EN WIELEN

VOOR OPTIMALE WERKTIJD EN LEVENSDUUR VAN DE MACHINE

EDGE MODE TECHNOLOGY

MAAIT ZOWEL LINKS ALS RECHTS BUITEN DE WIELEN, VOOR EEN
NAUWKEURIGE AFWERKING

INTUÏTIEF IN GEBRUIK

4.3" LCD TOUCH SCREEN VOOR EENVOUDIG GEBRUIK

VERSCHILLENDE MAAIHOOGTES TOT 100MM

PROBLEEMLOOS MAAIEN VAN LANG EN DIK GRAS

360° SENSOR

OPTIMALE NAVIGATIE ROND OBSTAKELS EN HINDERNISSEN



- **STANDAARD 3 JAAR GARANTIE**
- **VERLENGBAAR MET 1 JAAR :**
 - REGISTRATIE OP WWW.ROBOMOW.COM
 - INVOER SERIENUMMER + ACTIVEREN GARANTIE
 - REGISTRATIE BINNEN 3 MAANDEN NA AANKOOPDATUM
- **VALT ONDER GARANTIE**
 - PRODUCTIEFOUTEN
 - SCHADE DOOR BLIKSEMINSLAG, VANDALISME, DIEFSTAL
- **ALLE VOORWAARDEN OP www.robomow.com**



Free extension to all RK models and only with product registration.
For more information visit robomow.com



XR5 1000	
Maaibreedte	21 cm
Maaihoogte	20 - 100 mm
Gazonoppervlakte (max.)	1000 m ²
Aanbevolen gazonopp.	700 m ²
Maaitijden	50 - 60 min
Motor	DC Brushless
Geluidsniveau dB	< 60dB
AVP	€ 1799,-

XR5 2000	
Maaibreedte	21 cm
Maaihoogte	20 - 100 mm
Gazonoppervlakte (max.)	2000 m ²
Aanbevolen gazonopp.	1500 m ²
Maaitijden	100 - 120 min
Motor	DC Brushless
Geluidsniveau dB	< 60dB
AVP	€ 2349,-

XR5 3000	
Maaibreedte	42 cm
Maaihoogte	20 - 100 mm
Gazonoppervlakte (max.)	3000 m ²
Aanbevolen gazonopp.	2400 m ²
Maaitijden	150 - 180 min
Motor	DC Brushless
Geluidsniveau Db	< 61dB
AVP	€ 2799,-

XR5 4000	
Maaibreedte	42 cm
Maaihoogte	20 - 100 mm
Gazonoppervlakte (max.)	4000 m ²
Aanbevolen gazonopp.	3300 m ²
Maaitijden	200 - 240 min
Motor	DC Brushless
Geluidsniveau Db	< 61dB
AVP	€ 2999,-

	OMSCHRIJVING	RRP
MRK0067B	650M BEGRENZINGSDRAAD	€ 459.99
MRK0039A1	VERBINDINGSSTUKKEN VOOR DRAAD (10x)	€ 23.99
122-085-603	ROBOHOME	€ 244.99
122-105-603	SET 8 MAAIMESSEN	€ 22.99
122-001-603	INSTALLATIEKIT KLEIN	€ 95.99
122-002-603	INSTALLTIEKIT MEDIUM	€ 139.99
122-003-603	INSTALLATIEKIT GROOT	€ 229.99

Certificaat Robot Dealer

Het gecertificeerde Robot Dealer (CRD) Programma “biedt buitengewone kwantitatieve voordelen!”

A-Class condities op Robots!

+ meer kwalitatieve voordelen

22-1-2024

- 1. Ontvang uw Certificaat + A-Class Condities + Dedicated Service**

- Wanneer je tijdens de audit voldoet krijg je:
 - A-Class Conditioes op Robots
 - Speciale Service Ondersteuning (Hotline)
 - Uitgebreid Training Programma
 - Service Hardware voor je winkel
 - CRD Certificaat & Signalisatie
 - POS Visual Merchandising
- Wat verwachten we van U:
 - Minimale aankoop van 20 Units p.j.
 - Werkplaats voldoet aan onze vereisten (Audit)
 - Jaarlijks onderhoud (Audit)
 - 3 jaar garantie op geregistreerde verkochte machines
 - Minimaal zelf 70% van de install. verzorgen
 - Gedegen kennis (Succesvol afgeronde Training)
 - Branded Show-Room & Online-presentation (Audit)

ZERO-TURNS

XZ5 Ultima		
XZ5 L107 (42'')	XZ5 L127 (50'')	XZ5 L137 (54'')
AVP €6187.99,-	AVP €6999,-	AVP €7999,-

XZ7 Ultima	
XZ7 L122 (48'')	XZ7 L152 (60'')
AVP €11129.99,-	AVP €13779.99,-

XZ6 Ultima		
XZ6 S107 (42'')	XZ6 S117 (46'')	XZ6 L127 (50'')
AVP €6703.99,-	AVP €7648.99,-	AVP €8669.99,-

XZ8 Ultima	
XZ8 S122 (48'')	XZ8 S137 (54'')
AVP €11659.99,-	AVP €12999,-

Z5	Z7	Z9
Z5 152 (60'')	Z7 183 (72'')	Z9 183id (72'')
AVP €22919.99,-	AVP €23721.99,-	AVP €28999,-




XZ8 Ultima in 2023



DRIVING FORWARD




TURNING TO THE RIGHT



TURNING TO THE LEFT



DRIVING REVERSE



EXECUTING A ZERO-TURN



XZ5 L107 - ULTIMA

Cutting width:	107 cm
Lawn area (rec.):	10.000 m ² /h
Collecting volume:	Optional 230 l
Engine:	Cub Cadet, V-TWIN dual cylinder
Engine displacement:	679 cm ³
Drive:	Dual Hydrostatic
Cutting height adjustment:	15 positions
Model no.:	17BAEACS603

AVP €6187.99,-



XZ5 L127 - ULTIMA

Cutting width:	127 cm
Lawn area (rec.):	11.500 m ² /h
Collecting volume:	Optional 230 l
Engine:	Kawasaki OHV, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Dual Hydrostatic
Cutting height adjustment:	15 positions
Model no.:	17AIEACL603

AVP €6999,-



XZ5 L137 - ULTIMA

Cutting width:	137 cm
Lawn area (rec.):	12.500 m ² /h
Collecting volume:	Optional 230 l
Engine:	Kawasaki OHV, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Dual Hydrostatic
Cutting height adjustment:	15 positions
Model no.:	17AIEAC3603

AVP €7999,-



Wensen van de gebruiker	Product voordelen	Voordelen voor de gebruiker
1. Performantie	Best-In-Class maai en mulching resultaat Ongeëvenaard op uitdagende terreinen	Snel klaar met het werk, een mooi gemaaid gazon zonder verder enige zorgen over het werk
2. Levensduur en duurzaamheid	Sterke buis-frame, sterke motoren en transmissies, materialen en onderdelen van hoge kwaliteit	Geen zorgen dankzij de betrouwbaarheid van de machine
3. Comfort & Ergonomie	Premium zetel met armsteunen en hoge rugleuning, LED koplampen, leider binnen de sector in besturingstechnologie	Geniet van het werken dankzij het hoogste comfort en hoge ergonomische standaard



XZ6 S107

Cutting width:	107 cm
Lawn area (rec.):	10.000 m ² /h
Collecting volume:	Optional 230 l
Engine:	Cub Cadet, V-TWIN dual cylinder
Engine displacement:	679 cm ³
Drive:	Dual Hydrostatic
Cutting height adjustment:	15 positions
Model no.:	17AAGBYE603

AVP €6703.99,-



XZ6 S117

Cutting width:	117 cm
Lawn area (rec.):	10.500 m ² /h
Collecting volume:	Optional 230 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Dual Hydrostatic
Cutting height adjustment:	15 positions
Model no.:	17AIGBYN603

AVP €7648.99,-



XZ6 S127

Cutting width:	127 cm
Lawn area (rec.):	11.500 m ² /h
Collecting volume:	Optional 230 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Dual Hydrostatic
Cutting height adjustment:	15 positions
Model no.:	17AIGGY2603

AVP €8669.99,-



TOP SPEED

With a top speed of up to 14,5 km/h, you can mow even large areas in no time.



BRIGHT LED HEADLIGHTS

Helps provide visibility in poor lighting conditions, e.g. at dawn and dusk.



SOLID ROLLOVER PROTECTION

Fully welded tubular steel frame as standard equipment.



**3-in-1
OPTION**
Powered by
Kawasaki

XZ7 L122 - ULTIMA

Cutting width:	122 cm
Lawn area (rec.):	11.000 m ² /h
Collecting volume:	Optional 380 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Dual Hydrostatic
Cutting height adjustment:	16 positions
Model no.:	47AIAAA6603

AVP €11129.99,-



**3-in-1
OPTION**
POWERED BY
KOHLER

XZ7 L152i - ULTIMA

Cutting width:	152 cm
Lawn area (rec.):	15.000 m ² /h
Collecting volume:	Optional 380 l
Engine:	KOHLER EFI, V-TWIN dual cylinder
Engine displacement:	747 cm ³
Drive:	Dual Hydrostatic
Cutting height adjustment:	16 positions
Model no.:	47ATAHA8603

AVP €13779.99,-



DURABILITY

We trust our new XZ7 models with high durability and robustness and offer a warranty of 3 years or up to 500 working hours* – for commercial or private use. *Whichever comes first

XZ8 Ultima – Kenmerken & Voordelen

XZ ULTIMA Voordelen

- Krachtige motoren
- Sterke gelaste maaidekken
- Hoogste comfort



XZ8 ULTIMA USP

- Synchro Steer technology



Model Specification

Picture		
Model	XZ8 S122 (ZTX-S4 48")	XZ8 S137i (ZTX-S5 54")
Engine	Kawasaki 726 (23HP)	Kohler Confid. Twin EFI (27HP)
Transmission	Hydro-Gear ZT3100	Hydro-Gear ZT3200
Wheels	13x6.5 & 22x12	13x6.5 & 23x12
Seat	20" / Lever/ Arm Rests	
Deck Wheels	2 Front + 1 Nose	
Deck	Fabricated	



DURABILITY

We trust our new XZ8 models with high durability and robustness and offer a warranty of 3 years or up to 500 working hours* – for commercial or private use. *Whichever comes first

XZ8 Ultima – Features & Benefits

Consumer Needs and how we meet them

Consumer needs	Product Features	Consumer benefits
Performance / Efficiency	Strong Engines	Provide the power you need
	Efficient Mowing Decks	Quality Cut even at higher drive speed
	Patented Steering System	Efficiency, Slope capability
Durability / Lifetime	Tubular Steel Frame	Long life , nice look, no bulky plastic parts
	Fabricated Mowing Decks	Durable, with a high resistance
	High Quality components	Reliable and low-maintenance
Comfort / Ergonomics	Premium Seat with arm rests	Comfortable and easy to adjust
	Electric deck engagement	For a fatigue-free work experience
	Cub Holder	Ensures refreshments during the job
Safety	Roll-Over-Protection	Safety is priority and a matter of course

Visual representation of Features & Benefits

Roll-Over-Protection
To meet the highest safety requirements

Premium High Back Seat
Offers the highest comfort

Tubular Steel Frame
for the highest durability and a long lifetime

Foot controlled deck lift with 16 cutting height positions
For the highest control and accuracy

Hydro Drive System
Provides a smooth mowing experience

Fabricated Mowing Decks
For the highest performance and resistance

Patented Synchro-Steer-System
For an outstanding maneuverability and slope capability





NEW
3-in-1
OPTION
Powered by
Kawasaki



NEW
3-in-1
OPTION
POWERED BY
KOHLER

Placeholder



DURABILITY
We trust our new XZ8 models with high durability and robustness and offer a warranty of 3 years or up to 500 working hours* – for commercial or private use. *Whichever comes first

XZ8 S122 - ULTIMA

Cutting width:	122 cm
Lawn area (rec.):	11.000 m ² /h
Collecting volume:	Optional 380 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Dual Hydrostatic, Hydrogear ZT3100
Cutting height adjustment:	16 positions
Model no.:	47AICAB6603

AVP €11659.99,-


XZ8 S137i - ULTIMA

Cutting width:	137 cm
Lawn area (rec.):	13.000 m ² /h
Collecting volume:	Optional 380 l
Engine:	KOHLER EFI, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Dual Hydrostatic, Hydrogear ZT3200
Cutting height adjustment:	16 positions
Model no.:	47ATCAB7603

AVP €12999,-



KAWASAKI 31 HP ENGINE
A super-strong and efficient drive to meet optimal requirements (Z7 183).



OUTSTANDING MOWING DECK
With its massive cutting width of 183 cm (Z7 183).

Z5 152

STRENGTH IN EVERY DETAIL.

Powered by **Kawasaki**



Cutting width:	152 cm
Area performance (rec.):	15.000 m ² /h
Discharge type:	Side discharge
Engine:	Kawasaki OHV, V-TWIN dual cylinder
Engine displacement:	852 cm ³
Drive:	Dual Hydrostatic
Transmission:	Parker HTG 12 cc
Max. speed:	16 km/h (forward)/8 km/h (reverse)
Cutting height adjustment:	17 positions

Model no.: 53BIHJUV603



PRO Z SERIES



Z5 152

KRACHT IN
IEDER DETAIL

Maaibreedte:	152 cm
Aanbevolen gazonopp.:	15.000 m ² /u
Uitworptype:	Zijuitworp
Motor:	Kawasaki OHV V-TWIN
Motorinhoud:	852 cm ³
Aandrijving:	Dubbele hydrostaat
Transmissie:	Parker HTG 12 cc
Max. snelheid:	16 km/u (voorwaarts)/8 km/u (achterwaarts)
Maihoogte-instelling:	17 standen

AVP €22919.99,-





Z7 183

THE POWER PACK FOR
TOP REQUIREMENTS.

Powered by
Kawasaki



Cutting width:	183 cm
Lawn area (rec.):	18.000 m ² /h
Discharge type:	Side discharge
Engine:	Kawasaki OHV, V-TWIN dual cylinder
Engine displacement:	999 cm ³
Drive:	Dual Hydrostatic
Transmission:	Parker HTG 14 cc
Max. speed:	19,5 km/h (forward)/10 km/h (reverse)
Cutting height adjustment:	17 positions

Model no.: 53AIHKUY603



PRO Z SERIES



Z7 183



DE ULTIEME
KRACHTPATSER VOOR
HOGE EISEN



Maaibreedte:	183 cm
Aanbevolen gazonopp.:	18.000 m ² /u
Uitworptype:	Zijuitworp
Motor:	Kawasaki OHV V-TWIN
Motorinhoud:	999 cm ³
Aandrijving:	Dubbele hydrostaat
Transmissie:	Parker HTG 14 cc
Max. snelheid:	19,5 km/u (voorwaarts)/10 km/u (achterwaarts)
Maaihoogte-instelling:	17 standen

AVP €23721.99,-



**KAWASAKI FX 1000V EFI
V-TWIN DUAL CYLINDER**



Z9 183id

MADE FOR
SLOPES

Powered by
Kawasaki



Cutting width:	183 cm
Lawn area (rec.):	18.000 m ² /h
Discharge type:	Side discharge
Engine:	Kawasaki FX1000V EFI, V-TWIN dual cylinder
Engine displacement:	999 cm ³
Drive:	Dual Hydrostatic
Transmission:	Parker HTG 16 cc
Max. speed:	19,5 km/h (drive) / 10,0 km/h (reverse)
Cutting height adjustment:	17 positions

Model no.: 53ALHMUY603

OUTSTANDING MOWING PERFORMANCE

Thanks to the technical equipment, straight mowing lines, zero radius turns and mowing on steep slopes are easy.

WORK EFFICIENTLY AND DRIVE COMFORTABLY

With the comfort features, you can enjoy a relaxed ride throughout the day. With the air ride seat, you can adjust the seat firmness according to your personal preferences.

ELECTRONICALLY ADJUSTABLE CUTTING DECK

Adjust the cutting deck to the specific requirements with just the touch of a button.

CLIMBING ABILITIES


Extremely wide double tires and the all-wheel steering help the stability and precision even on steep slopes with inclines of up to 25°.

POWER AND ECONOMY COMBINED

Thanks to the electronic direct injection, the robust Kawasaki engine combines maximum performance with low fuel consumption.

A RELIABLE PARTNER OVER YEARS

Cub Cadet gives you a warranty of 1.000 working hours or 3 years* on the new Z9 183id. *Whichever comes first.





PRO Z SERIES



Z9 183 ID

Maaibreedte: 183 cm

Aanbevolen gazonopp.: 18.000 m²/u

Uitworptype: Zijuitworp

Motor: EFI Kawasaki

Motorinhoud: 999 cm³

Aandrijving: Dubbele hydrostaat

Transmissie: Parker HTG 310cc

Max. snelheid: 18 km/u

Maaihogte-instelling: 17 standen

AVP €28999,-



MINIRIDERS

3-in-1

POWERED BY
Cub Cadet



LR1 MR76

2-in-1

POWERED BY
Cub Cadet



LR1 MS76

3-in-1

POWERED BY
Cub Cadet



LR2 NR76

2-in-1

POWERED BY
Cub Cadet



LR2 NS76

Li-Ion
ELECTRIC



LR2 ES76

3-in-1

POWERED BY
Cub Cadet



LR1 MR76

Maaibreedte:	76 cm
Aanbevolen gazonopp.:	2.500 m ² /u
Inhoud opvangzak:	Standaard 200 liter
Motor:	Cub Cadet OHV
Motorinhoud:	382 cm ³
Aandrijving:	Transmatic
Maaihoogte-instelling:	5 standen
Modelnr.:	13A726HD603

AVP €2864.99,-

2-in-1

POWERED BY
Cub Cadet



LR1 MS76

Maaibreedte:	76 cm
Aanbevolen gazonopp.:	3.000 m ² /u
Inhoud opvangzak:	Optioneel 115 liter
Motor:	Cub Cadet OHV
Motorinhoud:	382 cm ³
Aandrijving:	Transmatic
Maaihoogte-instelling:	5 standen
Modelnr.:	13A726JD603

AVP €2399.99,-

LR1
FORCE SERIES

LR2 FORCE SERIES

3-in-1

POWERED BY
Cub Cadet



LR2 NR76

Maaibreedte:	76 cm
Aanbevolen gazonopp.:	2.500 m ² /u
Inhoud opvangzak:	Standaard 200 liter
Motor:	Cub Cadet OHV
Motorinhoud:	420 cm ³
Aandrijving:	Hydrostatisch
Maaihoogte-instelling:	5 standen
Modelnr.:	13B221HD603

AVP €3265.99,-

2-in-1

POWERED BY
Cub Cadet



LR2 NS76

Maaibreedte:	76 cm
Aanbevolen gazonopp.:	3.000 m ² /u
Inhoud opvangzak:	Optioneel 115 liter
Motor:	Cub Cadet OHV
Motorinhoud:	420 cm ³
Aandrijving:	Hydrostatisch
Maaihoogte-instelling:	5 standen
Modelnr.:	13A221JD603

AVP €2864.99,-

ZITMAAIERS

SOFT GRIP
STEERING WHEEL

MOW-IN-REVERSE
Reserve mowing technology.
Allows you to cut while in reverse
(LT2 and LT3 series).

COMFORTABLE SEAT
WITH HIGH BACKREST

PIVOTING ONE-PIECE HOOD
The entire engine hood can be
folded up within seconds without
tools, for easy maintenance.




**CUTTING HEIGHT
ADJUSTMENT**
5-position height adjust-
ment to easily change the
cutting height (30–95 mm).

TRANSMATIC, HYDROSTATIC
OR AUTODRIVE DRIVE SYSTEM


STEEL FRAME

Maaidek LT1 en LT2 naar 92 cm

MY2023

Model Number	13AB77BY603	13AB78BY603	13AJ78BS603	13AB76BE603	13AB71BE603	13AJ71BN603
Model Name	LT1 NS92	LT2 NS92	LT3 PS107	LT1 NR92	LT2 NR92	LT3 PR105
Illustration						
Cutting Width (cm)	92 cm	92 cm	107 cm	92 cm	92 cm	105 cm
Cylinders	Single	Single	V-Twin	Single	Single	V-Twin
CM3	439	439	679	439	439	679
Drive	7 Speed	Foot CVT	Foot CVT	7 Speed	Hydrostat	Hydrostat
Wheels Size Front	15 x 6	15 x 6	15 x 6	15 x 6	15 x 6	15 x 6
Wheels Size Rear	20 x 8	20 x 8	20 x 8	18 x 9,5	18 x 9,5	18 x 9,5
RMC	No	RMC	RMC	No	RMC	RMC
Grass Bag/ Capacity	Optional	Optional	Optional	240	240	240
Front Bumper	Optional	Optional	Yes	Optional	Optional	Yes
Seat Style	High Back	High Back	High Back	High Back	High Back	High Back
Other Changes	New Style	New Style	New Style	New Style	New Style	New Style

LT1
FORCE SERIES



LT1 NR92

Cutting width:	92 cm
Area performance (rec.):	3.500 m ² /h
Collecting volume:	240 l
Engine:	Cub Cadet OHV
Engine displacement:	439 cm ³
Drive:	Transmatic
Cutting height adjustment:	5 positions
Model no.:	13AB77BE603

AVP €3265.99,-

LT1 NS92

Cutting width:	92 cm
Area performance (rec.):	4.000 m ² /h
Collecting volume:	Optional 200 l
Engine:	Cub Cadet OHV
Engine displacement:	439 cm ³
Drive:	Transmatic
Cutting height adjustment:	5 positions
Model no.:	13AB77BY603

AVP €2349,-

LT2
FORCE SERIES



POWERED BY
Cub Cadet

LT2 NS92

Cutting width:	92 cm
Lawn area (rec.):	4.000 m ² /h
Collecting volume:	Optional 200 l
Engine:	Cub Cadet OHV
Engine displacement:	439 cm ³
Drive:	Autodrive
Cutting height adjustment:	5 positions
Model no.:	13AB78BY603

AVP €2999,-



POWERED BY
Cub Cadet

LT2 NR92

Cutting width:	92 cm
Lawn area (rec.):	3.500 m ² /h
Collecting volume:	240 l
Engine:	Cub Cadet OHV
Engine displacement:	439 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	5 positions
Model no.:	13AB71BE603

AVP €3661.99,-

LT3

FORCE SERIES



POWERED BY
Cub Cadet

LT3 PS107

Cutting width:	107 cm
Lawn area (rec.):	5.500 m ² /h
Collecting volume:	Optional 200 l
Engine:	Cub Cadet OHV, V-TWIN dual cylinder
Engine displacement:	679 cm ³
Drive:	Autodrive
Cutting height adjustment:	5 positions
Model no.:	13AJ78BS603

AVP €3714.99,-



POWERED BY
Cub Cadet

LT3 PR105

Cutting width:	105 cm
Lawn area (rec.):	4.500 m ² /h
Collecting volume:	240 l
Engine:	Cub Cadet OHV, V-TWIN dual cylinder
Engine displacement:	679 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	5 positions
Model no.:	13AJ71BN603

AVP €4559.99,-

XT1 ENDURO SERIES



XT1 OS96

Cutting width:	96 cm
Lawn area (rec.):	6.000 m ² /h
Collecting volume:	Optional 200 l
Engine:	Cub Cadet
Engine displacement:	547 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13A8A1TF603

AVP €4024.99,-



XT1 OS107

Cutting width:	107 cm
Lawn area (rec.):	8.000 m ² /h
Collecting volume:	Optional 200 l
Engine:	Cub Cadet
Engine displacement:	547 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13A8A1TS603

AVP €4539.99,-



XT1 OR95

Cutting width:	95 cm
Lawn area (rec.):	5.500 m ² /h
Collecting volume:	320 l
Engine:	Cub Cadet
Engine displacement:	547 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13A8A1TB603

AVP €4789.99,-



XT1 OR106

Cutting width:	106 cm
Lawn area (rec.):	7.500 m ² /h
Collecting volume:	320 l
Engine:	Cub Cadet
Engine displacement:	547 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13A8A1TR603

AVP €5224.99,-

XT2™ ENDURO SERIES™



Powered by
Kawasaki

XT2 PR95

Cutting width:	95 cm
Lawn area (rec.):	6.000 m ² /h
Collecting volume:	320 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	603 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13AGA1TB603

AVP €5769.99,-



POWERED BY
Cub Cadet

XT2 PR106

Cutting width:	106 cm
Lawn area (rec.):	8.000 m ² /h
Collecting volume:	320
Engine:	Cub Cadet, V-TWIN dual cylinder
Engine displacement:	679 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13AJA1TR603

AVP €6189.99,-



Powered by
Kawasaki

XT2 QR106

Cutting width:	106 cm
Lawn area (rec.):	8.000 m ² /h
Collecting volume:	320 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13AFA1TR603

AVP €6114.99,-



**POWERFUL
TWO-CYLINDER ENGINES**



**MASSIVE, WELDED
MOWING UNIT
(XT2 QS117)**

XT2™ ENDURO SERIES™



Powered by
Kawasaki

XT2 PS107

Cutting width:	107 cm
Lawn area (rec.):	8.500 m ² /h
Collecting volume:	Optional 200 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	603 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13AGA1TS603

AVP €5194.99,-



POWERED BY
Cub Cadet

XT2 PS117

Cutting width:	117 cm
Lawn area (rec.):	9.000 m ² /h
Collecting volume:	Optional 200 l
Engine:	Cub Cadet, V-TWIN dual cylinder
Engine displacement:	679 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13AJA1TT603

AVP €5364.99,-



Powered by
Kawasaki

XT2 QS117

Cutting width:	117 cm, welded mowing deck
Lawn area (rec.):	9.000 m ² /h
Collecting volume:	Optional 200 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Hydrostatic
Cutting height adjustment:	12 positions
Model no.:	13AFA1TN603

AVP €6084.99,-



**POWERFUL
TWO-CYLINDER ENGINES**



**MASSIVE, WELDED
MOWING UNIT
(XT2 QS117)**

XT3 ENDURO SERIES™

Cub Cadet TIGHT TURN XTREME

Just 17 cm turning radius thanks to TIGHT TURN XTREME.



Powered by
Kawasaki

XT3 QR106

Cutting width:	106 cm
Lawn area (rec.):	8.000 m ² /h
Collecting volume:	360 l, with Anti dust system
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Hydrostatic, with differential lock
Cutting height adjustment:	12 positions
Model no.:	13AFA5TR603

AVP €7791.99,-



**STRONG V-TWIN
KAWASAKI ENGINE**



**HIGH TRACTION
EVEN ON
CHALLENGING
TERRAIN**



**ANTI-DUST
SYSTEM**



Powered by
Kawasaki

XT3 QS127

Cutting width:	127 cm
Lawn area (rec.):	10.000 m ² /h
Collecting volume:	Optional 210 l
Engine:	Kawasaki, V-TWIN dual cylinder
Engine displacement:	726 cm ³
Drive:	Hydrostatic, with differential lock
Cutting height adjustment:	12 positions
Model no.:	14AFA5TQ603

AVP €7333.99,-



Behoefte van de klant

1. Gering geluidsniveau & Geen emissie
2. Onderhouds en service vriendelijk
3. Comfort & Ergonomisch

Product Voordelen

Het geluidsniveau van een eRider is aanzienlijk lager dan dat van benzinemodellen en het apparaat veroorzaakt geen uitstoot.

eRiders hebben geen benzine of olie nodig en geen riemen en poelies.

Algemene voordelen van de XT en het Ultima-platform - bijv. extreem krappe bochten, lage bedieningskrachten, stalen buizenframe

Klant voordelen

Maaien kan elke dag, ook in geluidsarme gebieden - Perfect voor elke groene tuineigenaar in o.a. woonwijken, campings

In vergelijking met een benzinemodel is het onderhoud en de service aanzienlijk lager en goedkoper.

Met de USP's van het Tractor& Zero Turn platform gecombineerd met de voordelen van elektrificatie.

LR2
FORCE SERIES



MOWING
TIME
60 MIN*

4 HOURS
CHARGING
TIME



LR2 ES76

Cutting width:	76 cm
Area performance (rec.):	3.000 m ² /h
Collecting volume:	Optional 115 l
Engine:	Cub Cadet 56 V / 30 Ah / 1.500 Wh
Drive:	Electric drive
Cutting height adjustment:	5 positions
Model no.:	35BA2 / JD603

AVP €5444.99,-

ELECTRIC
LITHIUM ION

XT2
ENDURO SERIES™



MOWING
TIME
90 MIN*
4 HOURS
CHARGING
TIME



XT2 ES107

Cutting width:	107 cm
Area performance (rec.):	8.000 m ² /h
Collecting volume:	Optional 200 l
Engine:	Cub Cadet 56 V / 60 Ah / 3.000 Wh
Drive:	Electric drive
Cutting height adjustment:	12 positions
Model no.:	33ABA7ES603

AVP €7734.99,-

ELECTRIC
LITHIUM ION



Built with Strength



2 x 2 steel frame with an automotive-grade corrosion defense system for enhanced strength and durability.



Premium Cut



Two brushless motors deliver power to a 13-gauge steel, direct drive, twin blade cutting deck.



Dial-in a Perfect Cut

Choose from 15 quarter-inch deck height settings, right at your fingertips.



Cut Comfortably



Premium high back 20-inch cut-and-sew seat with advanced polymer suspension system is adjustable four inches from front-to-rear.



Offset Front Axle

Allows the cutting deck to get closer to flower beds, fences and trees, for a cleaner cut.



No Power Fade

Lithium-ion technology allows for full speed and consistent, high-powered performance without fading.



Dual USB Ports

Easily accessible to charge small mobile devices while mowing. Found on Cub Cadet CC30E, ZT1 42E and XT1 42E.



Less Maintenance

The lithium-ion battery replaces the need for gas, oil changes, spark plugs, belts or even pulley maintenance.



Zero Emissions

No exhaust, carbon monoxide, or unburned hydrocarbons from the on-board source of power.



More Control

ECO mode provides longer runtimes in light cutting conditions while low speed drive enhances maneuverability around tight obstacles.



MOWING
TIME
90 MIN*

4 HOURS
CHARGING
TIME

Engine: Cub Cadet 56 V / 60 Ah / 3.000 Wh

ELECTRIC
LITHIUM ION

NEW



XZ5 EL107	
Cutting width:	107 cm
Area performance (rec.):	10.000 m ² /h
Collecting volume:	Optional 230 l
Engine:	Cub Cadet 56 V / 60 Ah / 3.000 Wh
Drive:	Electric drive
Cutting height adjustment:	15 positions
Model no.:	34BBA2CS603
AVP €8250.99,-	

LOOPMAAIERS



LM1 AP46

3-in-1
OPTION
POWERED BY
Cub Cadet



LM1 AR46

3-in-1
OPTION
POWERED BY
Cub Cadet



LM1 DP 53

4-in-1
POWERED BY
Cub Cadet



LM1 CR53

3-in-1
OPTION
POWERED BY
Cub Cadet



LM2 DR46s

3-in-1
POWERED BY
Cub Cadet
MYSPEED



LM2 DR46es

3-in-1
POWERED BY
Cub Cadet
MYSPEED



LM2 DR53s

3-in-1
POWERED BY
Cub Cadet
MYSPEED



LM3 CRC46s



LM3 CR53s

4-in-1
POWERED BY
Cub Cadet
MYSPEED



LM3 DR53es

4-in-1
POWERED BY
Cub Cadet
MYSPEED

LM1 FORCE SERIES



3-in-1
OPTION
POWERED BY
Cub Cadet

LM1 AP46

Cutting width:	46 cm
Lawn area (rec.):	700 m ² /h
Collecting volume:	60 l
Engine:	Cub Cadet 35 OHV, Pull starter
Engine displacement:	79 cm ³
Drive:	Pushed
Cutting height adjustment:	6 positions/central
Model no.:	11C-TQMG603

AVP €459.99,-



3-in-1
OPTION
POWERED BY
Cub Cadet

LM1 AR46

Cutting width:	46 cm
Lawn area (rec.):	700 m ² /h
Collecting volume:	60 l
Engine:	Cub Cadet 35 OHV, Pull starter
Engine displacement:	79 cm ³
Drive:	Rear-wheel drive
Cutting height adjustment:	6 positions/central
Model no.:	12C-TQMG603

AVP €524.99,-



3-in-1
OPTION
POWERED BY
Cub Cadet

LM1 CR53

Cutting width:	53 cm
Lawn area (rec.):	950 m ² /h
Collecting volume:	70 l
Engine:	Cub Cadet 45 OHV, Pull starter
Engine displacement:	140 cm ³
Drive:	Rear-wheel drive
Cutting height adjustment:	6 positions/central
Model no.:	12D-PQSC603

AVP €654.99,-



4-in-1
POWERED BY
Cub Cadet

LM1 DP53

Cutting width:	53 cm
Lawn area (rec.):	950 m ² /h
Collecting volume:	70 l
Engine:	Cub Cadet 55 OHV, Pull starter
Engine displacement:	159 cm ³
Drive:	Pushed
Cutting height adjustment:	6 positions/central
Model no.:	11E-PTKC603

AVP €574.99,-

LM2
FORCE SERIES

MYSPEED™



3-in-1

POWERED BY
Cub Cadet

MYSPEED™

LM2 DR46s

Cutting width:	46 cm
Lawn area (rec.):	750 m ² /h
Collecting volume:	60 l
Engine:	Cub Cadet 55 OHV, Pull starter/AutoChoke
Engine displacement:	159 cm ³
Drive:	Rear-wheel drive
Cutting height adjustment:	6 positions/central
Model no.:	12EBTQKC603

AVP €729.99,-



3-in-1

POWERED BY
Cub Cadet

MYSPEED™

LM2 DR46es

Cutting width:	46 cm
Lawn area (rec.):	750 m ² /h
Collecting volume:	60 l
Engine:	Cub Cadet 55 OHV, Electric
Engine displacement:	159 cm ³
Drive:	Rear-wheel drive
Cutting height adjustment:	6 positions/central
Model no.:	12ECTQS7603

AVP €839,-



3-in-1

POWERED BY
Cub Cadet

MYSPEED™

LM2 DR53s

Cutting width:	53 cm
Lawn area (rec.):	950 m ² /h
Collecting volume:	70 l
Engine:	Cub Cadet 55 OHV, Pull starter/AutoChoke
Engine displacement:	159 cm ³
Drive:	Rear-wheel drive
Cutting height adjustment:	6 positions/central
Model no.:	12EBPQKC603

AVP €749,-

LM3 FORCE SERIES

MYSPEED™



4-in-1

POWERED BY
Cub Cadet

MYSPEED™

LM3 CRC46s

Cutting width:	46 cm
Lawn area (rec.):	750 m ² /h
Collecting volume:	60 l
Engine:	Cub Cadet 45 OHV, Pull starter
Engine displacement:	140 cm ³
Drive:	Rear-wheel drive
Cutting height adjustment:	6 positions/central
Model no.:	12DBTVSC603

AVP €829,-



4-in-1

POWERED BY
BRIGGS & STRATTON

MYSPEED™

LM3 CR53s

Cutting width:	53 cm
Lawn area (rec.):	950 m ² /h
Collecting volume:	70 l
Engine:	B&S 750 EX DOV Series, Pull starter
Engine displacement:	161 cm ³
Drive:	Rear-wheel drive
Cutting height adjustment:	6 positions/central
Model no.:	12ABPV9B603

AVP €939,-



4-in-1

POWERED BY
Cub Cadet

MYSPEED™

LM3 DR53es

Cutting width:	53 cm
Lawn area (rec.):	950 m ² /h
Collecting volume:	70 l
Engine:	Cub Cadet 55 OHV ES, Electric
Engine displacement:	159 cm ³
Drive:	Rear-wheel drive
Cutting height adjustment:	6 positions/central
Model no.:	12ECPV57603

AVP €1059,-

ANDERE

LC3 DP56

POWERED BY
Cub Cadet

Cutting width:	56 cm
Cutting height:	60–110 mm
Line:	Ø 3,9 mm
Engine:	Cub Cadet 55 OHV
Wheels:	Ø 360 mm
Drive:	Pushed
Net weight:	31 kg
Model no.:	25C-262E603

AVP €634.99,-



Cub Cadet[®]

PROMOTIES



ACTIE

ONTVANG TOT €200 CASHBACK OF EEN GRATIS ROBOHOME BIJ AANKOOP VAN EEN CUB CADET ROBOTMAAIER

ACTIEPERIODE

26 FEBRUARI 2024 – 30 JUNI 2024

REGISTRATIE TEM 15 JULI 2024

KLANT

DEALER CHANNEL

DEELNEMENDE MACHINES

XR5 MODELLEN

ALLE DETAILS IN PROMO FILE

HOE WERKT HET?

AANKOOP – REGISTRATIE VIA ACTIEWEBSITE

Cub Cadet[®]

SUPPORT



Nederland

B2C

073-808 03 73 WOLF-Garten

073-808 03 74 Robomow

073-808 03 75 MTD

073-808 03 76 Cub Cadet

B2B

073-808 03 77 Sales Support IR

073-808 03 78 Sales Support MM

073-808 03 79 Tech support Dealer

073-808 03 80 Tech support Pro

073-808 03 81 After Sales Support (spare parts

Bij technische vragen:

Mail: support.benelux@mtdproducts.com

Onderdelen:

Mail: parts.benelux@mtdproducts.com

Overige vragen:

ordersbenelux@mtdproducts.com

Nederland

B2C

073-808 03 73 WOLF-Garten

073-808 03 74 Robomow

073-808 03 75 MTD

073-808 03 76 Cub Cadet

B2B

073-808 03 77 Sales Support IR

073-808 03 78 Sales Support MM

073-808 03 79 Tech support Dealer

073-808 03 80 Tech support Pro

073-808 03 81 After Sales Support (spare parts

Bij technische vragen:

Mail: support.benelux@mtdproducts.com

Onderdelen:

Mail: parts.benelux@mtdproducts.com

Overige vragen:

ordersbenelux@mtdproducts.com

Luxemburg

B2C

0035-2-27 86 84 90 WOLF-Garten

0035-2-27 86 84 91 Robomow

0035-2-27 86 84 92 MTD

0035-2-27 86 84 93 Cub Cadet

B2B

0035-2-27 86 84 94 Sales Support IR

0035-2-27 86 84 95 Support MM

0035-2-27 86 84 96 Tech support Dealer

0035-2-27 86 84 97 Support Pro

0035-2-27 86 94 98 After Sales Support (spare parts)

Bij technische vragen:

Mail: support.benelux@mtdproducts.com

Onderdelen:

Mail: parts.benelux@mtdproducts.com

Overige vragen:

ordersbenelux@mtdproducts.com

Cub Cadet®

BEDANKT